

**Claim Listing**      This listing of claims will replace all prior versions and listings of claims in the application:

1 - 52:                    (cancelled)

53.    (currently amended) An expression vector for enhancing the solubility and proper folding of an expressed protein or polypeptide of interest, said protein or polypeptide having an amino-terminus and a carboxyl-terminus, comprising a first nucleic acid sequence encoding a peptide extension of 61 or fewer amino acid residues, the encoded peptide extension having a net negative charge ranging from -2 to -20 under physiological conditions; the expression vector further comprising a multiple cloning site for  
10 inserting, in-frame with said first nucleic acid sequence ~~peptide extension,~~ a second nucleic acid sequence encoding the protein or polypeptide of interest, wherein the expression of the nucleic acid sequences yields a fusion protein consisting essentially of ~~in which~~ the encoded peptide extension ~~is~~ fused to the carboxyl-terminus of the protein or polypeptide of interest.

54.    (original)      The vector of Claim 53 which is optimized for use with a prokaryotic cell.

55. (original) The vector of Claim 53 which is optimized for use with a eukaryotic cell.

56. (currently amended) The expression vector of Claim 53, wherein the net charge of the encoded peptide extension is from -15 to -20.

57. (currently amended) The expression vector of Claim 53, wherein the net charge of the encoded peptide extension is from -10 to -14.

58. (currently amended) The expression vector of Claim 53, wherein the net charge of the encoded peptide extension is from -5 to -9.

59. (currently amended) The expression vector of Claim 53, wherein the net charge of the encoded peptide extension is from -2 to -4.

60. (currently amended) The expression vector of Claim 53, wherein the encoded peptide extension adopts a non-ordered conformation following expression.

61. (cancelled)

62. (currently amended) The expression vector of Claim 53 wherein the encoded peptide extension comprises the ~~the~~<sup>57</sup> ~~residue~~-carboxyl-terminal ~~portion~~<sup>57</sup> amino acid residues of

~~the~~ a T7 gene 10B protein, ~~or solubility or activity~~  
~~promoting portions thereof.~~

63. (currently amended) The expression vector of Claim 62  
wherein one or more of the peptide extension further  
~~comprises amino acid substitution variants of the amino~~  
~~acid residues carboxyl terminal portion of the T7 gene 10B~~  
~~protein are substituted, or active portions thereof,~~ which  
~~modifications~~ substitutions result in the maintenance of a  
net negative charge ~~of~~ between -2 and -20 for the encoded  
peptide extension.

64. (currently amended) The expression vector of Claim 62,  
wherein the encoded peptide extension is selected from the  
group consisting of: Peptide T7C (SEQ ID NO: 5), Peptide  
T7B (SEQ ID NO: 6), Peptide T7B1 (SEQ ID NO: 7), Peptide  
T7B2 (SEQ ID NO: 8), Peptide T7B3 (SEQ ID NO: 9), Peptide  
T7B5 (SEQ ID NO: 11), Peptide T7B6 (SEQ ID NO: 12), Peptide  
T7B7 (SEQ ID NO: 13), Peptide T7B8 (SEQ ID NO: 14), Peptide  
T7B9 (SEQ ID NO: 15), Peptide T7B10 (SEQ ID NO: 16),  
Peptide T7B11 (SEQ ID NO: 17), Peptide T7B12 (SEQ ID NO:  
10 18), Peptide T7B13 (SEQ ID NO: 19), Peptide T7A1 (SEQ ID  
NO: 21), Peptide T7A2 (SEQ ID NO: 22), Peptide T7A3 (SEQ ID

NO: 23), Peptide T7A4 (SEQ ID NO: 24) and Peptide T7A5 (SEQ ID NO: 25).

65 - 86 (cancelled)

87. (new) The expression vector of Claim 62 wherein the encoded peptide extension comprises the carboxyl-terminal 40 amino acid residues of the T7 gene 10B protein.

88. (new) The expression vector of Claim 87 wherein one or more of the amino acid residues are substituted, which substitutions result in the maintenance of a net negative charge between -2 and -20 for the encoded peptide extension.

89. (new) The expression vector of Claim 87 wherein the encoded peptide extension comprises the carboxyl-terminal 18 amino acid residues of the T7 gene 10B protein and wherein one or more of the amino acids are substituted, which substitutions result in the maintenance of a net negative charge between -4 and -6 for the encoded peptide extension.

90. (new) An expression vector for enhancing the solubility and proper folding of an expressed protein or

polypeptide of interest, said protein or polypeptide having an amino-terminus and a carboxyl-terminus, comprising a first nucleic acid sequence encoding a 61 or fewer amino acid peptide extension comprising the carboxyl-terminal 57 amino acid residues of a bacteriophage T7 gene 10B protein, and further comprising a multiple cloning site for inserting, in-frame with said first nucleic acid sequence,  
10 a second nucleic acid sequence encoding the protein or polypeptide of interest, wherein expression of the nucleic acid sequences yields a fusion protein consisting essentially of the encoded peptide extension fused to the carboxyl-terminus of the protein or polypeptide of interest.

91. (new) The expression vector of Claim 90 wherein one or more of the amino acid residues are substituted, which substitutions result in a net negative charge between -2 and -20 under physiological conditions for the encoded peptide.

92. (new) The expression vector of Claim 90 wherein the encoded peptide is selected from the group consisting of: Peptide T7C (SEQ ID NO: 5), Peptide T7B (SEQ ID NO: 6), Peptide T7B1 (SEQ ID NO: 7), Peptide T7B2 (SEQ ID NO:

8), Peptide T7B3 (SEQ ID NO: 9), Peptide T7B5 (SEQ ID NO:  
11), Peptide T7B6 (SEQ ID NO: 12), Peptide T7B7 (SEQ ID NO:  
13), Peptide T7B8 (SEQ ID NO: 14), Peptide T7B9 (SEQ ID NO:  
15), Peptide T7B10 (SEQ ID NO: 16), Peptide T7B11 (SEQ ID  
NO: 17), Peptide T7B12 (SEQ ID NO: 18), Peptide T7B13 (SEQ  
10 ID NO: 19), Peptide T7A1 (SEQ ID NO: 21), Peptide T7A2 (SEQ  
ID NO: 22), Peptide T7A3 (SEQ ID NO: 23), Peptide T7A4 (SEQ  
ID NO: 24) and Peptide T7A5 (SEQ ID NO: 25).

93. (new) An expression vector for enhancing the  
solubility and proper folding of an expressed protein or  
polypeptide of interest, said protein or polypeptide having  
an amino-terminus and a carboxyl-terminus, comprising a  
first nucleic acid sequence encoding a peptide extension,  
which peptide extension is selected from the group  
consisting of: Peptide T7C (SEQ ID NO: 5), Peptide T7B (SEQ  
ID NO: 6), Peptide T7B1 (SEQ ID NO: 7), Peptide T7B2 (SEQ  
ID NO: 8), Peptide T7B3 (SEQ ID NO: 9), Peptide T7B5 (SEQ  
10 ID NO: 11), Peptide T7B6 (SEQ ID NO: 12), Peptide T7B7 (SEQ  
ID NO: 13), Peptide T7B8 (SEQ ID NO: 14), Peptide T7B9 (SEQ  
ID NO: 15), Peptide T7B10 (SEQ ID NO: 16), Peptide T7B11  
(SEQ ID NO: 17), Peptide T7B12 (SEQ ID NO: 18), Peptide  
T7B13 (SEQ ID NO: 19), Peptide T7A1 (SEQ ID NO: 21),

Peptide T7A2 (SEQ ID NO: 22), Peptide T7A3 (SEQ ID NO: 23),  
Peptide T7A4 (SEQ ID NO: 24) and Peptide T7A5 (SEQ ID NO:  
25), and further comprising a multiple cloning site for  
inserting, in-frame with said first nucleic acid sequence,  
a second nucleic acid sequence encoding the protein or  
20 polypeptide of interest, wherein expression of the nucleic  
acid sequences yields a fusion protein consisting  
essentially of the encoded peptide extension fused to the  
carboxyl-terminus of the protein or polypeptide of  
interest.